

# Product datasheet

Specifications



## 1 Gang TV Coaxial Outlet

KB31TV

### Main

Range Of Product	Vivace
Range	Vivace
Device Short Name	KB31
Product Or Component Type	TV socket
Tv Socket Type	TV
Device Presentation	Complete mechanism

### Complementary

Number Of Gangs	1 gang
Number Of Outputs	1
Connector Type	M-110 keystone RJ45 connector
Material	Polycarbonate: surround Polycarbonate: grid plate Polycarbonate: base
Projecting Depth	8 mm
Device Mounting	Flush
Mounting Support	Wall mounted
Fixing Mode	By screw M3.5
Fixing Center	60.3 mm
Colour Tint	White
Embedding Depth	35 mm
Connections - Terminals	Clamp terminal
Tightening Torque	0.4 N.m
Width	87 mm
Height	87 mm
Main Colour Tint	White

### Environment

Ambient Air Temperature For Operation	-5...40 °C
Relative Humidity	0...95 %
Environmental Characteristic	Indoor use

### Packing Units

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

---

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Weight	86.86 g

---

## Contractual warranty

---

Warranty	18 months
----------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

RoHS Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu RoHS Directive Compliant with Exemptions

China RoHS Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations