



Category6, 4pr UTP Cable 305m Blue, CM

ACT4P6UCM3RBBU

! Discontinued on: 6 Feb 2023



Main

Range	Actassi	
Product Or Component Type	Copper cable	
Colour Tint	Blue	
Cable Shielding Type	U/UTP	

Complementary Type Of Cable

Type Of Cable	4 pair cables	
Communication Network Category	6	
Minimum Return Loss	Guaranteed: 20.1 dB at 100 MHz Guaranteed: 17.3 dB at 250 MHz	
Attenuation	Guaranteed: 19.8 dB @ 100 kHz per 100 m cable Guaranteed: 32.8 dB @ 250 kHz per 100 m cable	
Power Sum Near-End Crosstalk [Psnext]	Guaranteed: 42.3 dB at 100 MHz Guaranteed: 36.3 dB at 250 MHz	
Near End Crosstalk [Next]	Guaranteed: 44.3 dB at 100 MHz Guaranteed: 38.3 dB at 250 MHz	
Input Impedance	100 Ohm (+/-5) at 100000 kHz	
Maximum Loop Resistance	15 Ohm per 100 m	
Capacitance Unbalance	330 pF / 100 m	
Maximum Resistance Unbalance	5 % pair to pair 2 % within a pair	
Nominal Velocity Propagation	68 %	
Wire Insulation Material	ulation Material PE	
Conductor Material	Solid bare copper	
Awg Gauge	AWG 23	
Cable Outer Diameter	6.2 mm	
Cable Length	305 m	

Environment

Ambient Air Temperature For Operation	75 °C
Product Certifications	UL
Flame Retardance	CM

Standards ANSI/TIA/EIA-568-B

ISO/IEC 11801 UL 444

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	27 cm
Package 1 Width	35 cm
Package 1 Length	33 cm
Package 1 Weight	12 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations