# **Product datasheet**

Specifications



① Discontinued

#### Main

Range	Actassi
Product	Patch cord
Colour	Blue
Cable Shielding Type	UTP

### Complementary

Type Of Cable	4 pair cables
Rated Voltage	150 V AC
[In] Rated Current	1.5 A
Insulation Resistance	500 MOhm
Length (Customizable Value In Configurator)	03 m
Communication Network Category	6
Contacts Material	Phosphor bronze with 50 micro-inches gold over 100 micro-inches nickel
Contact Resistance	10 mOhm
Awg Gauge	AWG 24
Attenuation	Guaranteed: 0.1 dB
Far End Crosstalk [Fext]	49.8 dB
Power Sum Far End Crosstalk [Psfext]	46.9 dB
Minimum Number Of Matings	1000 cycles
Targeted Region	Asia Pacific.

#### Environment

СМ	
IEC 60603-7 FCC part 68 Subpart F AS/NZS 3080:2003 TIA/EIA-568-B ISO/IEC 11801 2nd edition	
	IEC 60603-7 FCC part 68 Subpart F AS/NZS 3080:2003 TIA/EIA-568-B

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 1 Height	0.008 cm
Package 1 Width	30.2 cm
Package 1 Length	21 cm
Package 1 Weight	140 g

# **Contractual warranty**

Warranty

18 months

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

# Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations