

Product datasheet

Specifications

Cat6 Patch Cord UTP 2M LSZH, Blue



ACTPC6UBLS20BU

⚠ Discontinued on: Jul 17, 2022

⚠ Discontinued

Main

Range	Actassi
Product	Patch cord
Colour	Blue
Cable Shielding Type	UTP

Complementary

Type Of Cable	4 pair cables
Rated Voltage	150 V AC
[In] Rated Current	1.5 A
Insulation Resistance	500 MOhm
Length (Customizable Value In Configurator)	0...2 m
Communication Network Category	6
Contacts Material	Phosphor bronze with 50 micro-inches gold over 100 micro-inches nickel
Contact Resistance	10 mOhm
Awg Gauge	AWG 24
Attenuation	Guaranteed: 0.1 dB
Far End Crosstalk [Fext]	49.8 dB
Power Sum Far End Crosstalk [Psfext]	46.9 dB
Minimum Number Of Matings	1000 cycles
Targeted Region	Asia Pacific.

Environment

Flame Retardance	LSZH
Standards	IEC 60603-7 FCC part 68 Subpart F AS/NZS 3080:2003 TIA/EIA-568-B ISO/IEC 11801 2nd edition

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Height	1.45 cm
Package 1 Width	16.5 cm
Package 1 Length	16.5 cm
Package 1 Weight	80 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile No need of specific recycling operations
