Product datasheet

Specifications

Sreen Premium[™]



Patch cord, Actassi, Category 6, F/ UTP, PVC, 3 m, blue

ACTPC6FUCM30BU

() Discontinued on: 15 Apr 2024

(!) Discontinued

Main

| Range | Actassi |
|----------------------|---------------|
| Product | Patch cord |
| Device Application | Communication |
| Colour | Blue |
| Cable Shielding Type | F/UTP |

Complementary

| Type Of Cable | 4 pair cables |
|--|---|
| Length (Customizable Value In Configurator) | 3 m |
| Communication Network Category | 6 |
| Transmission Frequency | 250 MHz |
| Contacts Material | Phosphor bronze with 50 micro-inches gold over 100 micro-inches nickel |
| Awg Gauge | AWG 28 |
| Maximum Number Of Cord Per Bundle | 24 in cabinet for 4PPoE Type 3 (up to 60 W) 12 in cabinet for 4PPoE Type 4 (up to 90 W) |
| Maximum Patch Cord Cumulated Length | 10 m with 84 m 2-point permanent link at 20 $^\circ\text{C}$ 7 m with 90 m 2-point permanent link at 20 $^\circ\text{C}$ |
| Minimum Number Of Matings | 750 cycles |
| Cable Outer Diameter | 5.2 mm +/- 0.2 mm |
| Material | PVC (polyvinyl chloride): sheath Copper: conductor PE (polyethylene): wire insulation Aluminium/polyester: foil Tin plated copper: braid shield |

Environment

| Flame Retardance | CM |
|------------------|---|
| Standards | ISO/IEC 11081-2017 performance TIA/EIA-568-C.2 performance EN 50173-2018 performance IEC 61935-2 performance |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|-----|
| Number Of Units In Package 1 | 1 |

| Package 1 Height | 2 cm |
|------------------------------|----------|
| Package 1 Width | 14 cm |
| Package 1 Length | 21 cm |
| Package 1 Weight | 119 g |
| Unit Type Of Package 2 | S03 |
| Number Of Units In Package 2 | 44 |
| Package 2 Height | 30 cm |
| Package 2 Width | 30 cm |
| Package 2 Length | 40 cm |
| Package 2 Weight | 5.969 kg |

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|---|
| Eu Rohs Directive | Compliant EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |