

Product datasheet

Specifications



Actassi - modular jack - category 6A - 10G - FTP - non shuttered - panel version

ACTRJSMTG6ANSSP

Main

Range	Actassi
Product Brand	Schneider Electric
Product Type	Keystone modular jack
Product Specific Application	For panel
Provided Equipment	Without shutter
Colour Tint	Metal (zamak)
Wiring Colour Configuration	TIA-568A/B
Type Of Packing	Plastic bag and carton
Quantity Per Set	Set of 1

Complementary

[In] Rated Current	1.5 A at 25 °C
Voltage Proof	1000 V AC/DC peak, between contacts
Contact Resistance	20 mOhm
Insulation Resistance	>= 500 MOhm
Connector Type	RJ45
Tool Type	Punch down tool Quick termination tool
Cable Outer Diameter	0.9...1.4 mm
Compatible Lan Cable Types	STP
Communication Network Category	6 _A
Supported Applications	10GBASE-T
Product Compatibility	RJ45 plug
Type Of Footprint	S-110 keystone
Targeted Region	Asia Pacific.

Environment

Operational Temperature Range	-10...60 °C
Ambient Air Temperature For Storage	-20...70 °C
Relative Humidity	0...93 %
Climatic Category	40/070/21 (21 days)
Flame Retardance	UL94-V0 conforming to UL listed

Product Certifications	FCC part 68 F IEC 60603-7
Standards	ISO/IEC 11081 IEC 60603-7 ANSI/TIA/EIA-568-B

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.533 cm
Package 1 Width	2.313 cm
Package 1 Length	3.984 cm
Package 1 Weight	30.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	432
Package 2 Height	28.9 cm
Package 2 Width	32.7 cm
Package 2 Length	38.5 cm
Package 2 Weight	13.721 kg

Contractual warranty

Warranty	18 months
-----------------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile

No need of specific recycling operations