

Product datasheet

Specifications



Fibre optic patch cord, Actassi, OM3, LC-LC, duplex, LSZH, 10 m

ACTFP2L1M35M100

⚠ Discontinued on: Nov 29, 2023

⚠ To be end-of-service on: Jun 30, 2027

⚠ Discontinued

Main

Range	Actassi
Product Or Component Type	Multimode fibre optic patchcord
Colour	Sheath: aqua LC duplex housing: aqua LC duplex boot: white LC duplex clip: aqua
Cable Packaging	Roll of 10 m
Type Of Packing	plastic bag

Complementary

Maximum Attenuation	3.5 dB / 1 km at 850 nm 1.5 dB / 1 km at 1300 nm
Bending Radius	32 mm dynamic 16 mm static
Maximum Insertion Loss	0.2 dB LC
Minimum Return Loss	30 dB LC
Fibre Performance	OM3 50/125 µm
Optic Fiber Diameter	600 µm
Termination 1	LC
Termination 2	LC
Sheath Type	Zip 2 x 1.6 mm
Condition Of Use	Patching
Exchange Mode	Duplex
Mode Of Transmission	Multi mode
Number Of Optic Fibre	2
Width	3.4 mm
Height	1.6 mm
Material	Ceramic: LC connector ferrule Thermoplastic: LC duplex housing TPE (thermoplastic elastomer): boot
Cable Length	10 m
Targeted Region	Asia Pacific.

Environment

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ambient Air Temperature For Operation	-20...60 °C
Ambient Air Temperature For Installation	-20...60 °C
Ambient Air Temperature For Storage	-20...60 °C
Standards	<p>Fibre performance: ITU G.651 Flame retardance: IEC 60332-1 IEC 60754-1 IEC 60754-2 IEC 61034 Fibre performance: IEC 60793-2-10 Type A1a.2 LC connector: TIA/EIA-604-10 A LC connector: IEC 61754-20 Ed.2 Fibre performance: ISO/IEC 11801:2011 Ed.2.2 OM3 Fire retardance: IEC 60332-3C Fibre performance: TIA/EIA-568-C.3 Flame retardance: UL 94 V0</p>

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	16.0 cm
Package 1 Length	16.0 cm
Package 1 Weight	96.0 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

✔ Reach Free Of Svhc

✔ Toxic Heavy Metal Free

✔ Mercury Free

✔ Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Circularity Profile No need of specific recycling operations
