Product datasheet

Specifications

Green Premium™

Actassi Fibre Optic Pigtail OM3 LC 1.5M

ACTFT1L1M35M15

⚠ Discontinued on: Nov 29, 2023

⚠ To be end-of-service on: Jun 30, 2027

⚠ **Discontinued**

Main

Range	Actassi
Product Or Component Type	Multimode fibre optic pigtail
Colour	Sheath: aqua
Type Of Packing	plastic bag

Complementary

Maximum Insertion Loss	0.2 dB LC
Minimum Return Loss	30 dB LC
Fibre Performance	OM3 50/125 µm
Exchange Mode	Simplex
Mode Of Transmission	Multi mode Single mode
Number Of Optic Fibre	1
Cable Outer Diameter	900 µm 1 +/- 0.2 mm
Cable Length	1.5 m
Targeted Region	Asia Pacific.

Environment

Ambient Air Temperature For Operation	-20…60 °C
Ambient Air Temperature For Installation	-20…60 °C
Ambient Air Temperature For Storage	-20…60 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.28 cm
Package 1 Width	19.0 cm
Package 1 Length	19.0 cm
Package 1 Weight	15.5 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	50

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Life Is On | Schneider Electric

Package 2 Height	14.0 cm
Package 2 Width	19.0 cm
Package 2 Length	19.0 cm
Package 2 Weight	915.0 g
Unit Type Of Package 3	S04
Number Of Units In Package 3	600
Package 3 Height	30.0 cm
Package 3 Width	40.0 cm
Package 3 Length	60.0 cm
Package 3 Weight	11.98 kg

Life Is On | Schneider Electric

Sustainability ![Green Premium](Green Premium™)

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                     EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                     Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations