Product datasheet

Specifications





AvatarOn, card switch, 16 A, 250 V, White

E8331EKT_WE

Main

Range	AvatarOn
Product Or Component Type	Card switch
Device Application	Hotel
Load Type	Resistive
Colour Tint	White

Complementary

Device Presentation	Complete product	
Rated Current	16 A at 250 V AC 50 Hz	
Connections - Terminals	brass terminal	
Clamping Connection Capacity	3 x 4 mm² for solid cable(s) 3 x 4 mm² for stranded cable(s) 2 x 2.5 mm² for solid cable(s) 2 x 2.5 mm² for stranded cable(s)	
Status Led	LED (amber)	
Material	Polycarbonate: plastic part	
Device Mounting	Flush Surface	
Width	86 mm	
Height	86 mm	
Depth	43.8 mm	
Embedding Depth	34.1 mm	

Environment

Ip Degree Of Protection	IP20
Ambient Air Temperature For Operation	040 °C
Ambient Air Temperature For Storage	00° °C
Ambient Air Temperature For Storage	00° °C
Relative Humidity	095 %
Standards	IEC 60669-2-1

Packing Units

Unit Type Of Package 1 PCE

Number Of Units In Package 1	1
Package 1 Height	4.4 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	124.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	8
Package 2 Height	9.0 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	1.042 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Reach Free Of Svhc



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information