Product datasheet

Specifications





13A 250V SP Twin Switched Socket Outlet White

ET3025-WW

() Discontinued on: 20 Jun 2023



Main

Range	Neo
Product Or Component Type	Power socket-outlet
Device Application	Power supply
Switch Function	1-pole
Outlet Poles Configuration	3P with shutters
Outlet Standard	MS 589 BS 1363 SS 145
Colour Tint	White

Complementary

Wiring Device Mounting	Surface
	Flush
Rated Current	13 A at 250 V AC 50/60 Hz
Material	Brass: contact
	Copper with silver onlay: bridge
	Nylon: shutter
	Polycarbonate: grid plate
	Polycarbonate: surround
	Steel with brass plating: screws
	Steel with brass plating: terminals
Load Type	Resistive
Connections - Terminals	Pillar terminals
Width	147 mm
Height	87 mm
Depth	18 mm

Environment

Ambient Air Temperature For Operation	040 °C
Relative Humidity	095 %
Environmental Characteristic	Indoor use
Standards	BS 1363 SS 145 MS 589

Packing Units

Excluding VAT, FCA Jabal Ali & are subject to change - check with your local distributor.

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	14.7 cm
Package 1 Width	8.7 cm
Package 1 Length	1.8 cm
Package 1 Weight	0.001 g

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations