

# Product datasheet

Specifications



## 3 Gang 1 Way Vertical Dolly Switch with White LED, White

E3033V1\_EWWW

⚠ Discontinued on: 03-Jul-2023

⚠ Discontinued

### Main

Range	Neo
Product Or Component Type	Control switch
Device Application	Control
Wiring Device Mounting	Surface Flush
Switch Function	1-way
Switch Application	Switch
Load Type	Inductive Fluorescent lamp Incandescent lamp Resistive
Bulb Type	LED (white)
Colour Tint	White

### Complementary

Rated Current	10 AX at 250 V AC 50/60 Hz
Number Of Gangs	3 gangs vertical
Material	Brass: metal parts Polycarbonate: plastic part Steel: metal parts
Clamping Connection Capacity	3 x 2.5 mm <sup>2</sup> for solid cable(s) 3 x 2.5 mm <sup>2</sup> for stranded cable(s) 4 x 1.5 mm <sup>2</sup> for solid cable(s) 4 x 1.5 mm <sup>2</sup> for stranded cable(s)
Connections - Terminals	Pillar terminals
Width	87 mm
Height	87 mm
Embedding Depth	23.5 mm
Depth	36 mm

### Environment

Ambient Air Temperature For Operation	0...40 °C
Relative Humidity	0...95 %
Environmental Characteristic	Indoor use

---

<b>Standards</b>	IEC 60669-1 GB 16915.1 EN 60669-1
------------------	---

## Packing Units

---

<b>Unit Type Of Package 1</b>	PCE
-------------------------------	-----

---

<b>Number Of Units In Package 1</b>	1
-------------------------------------	---

---

<b>Package 1 Height</b>	3.6 cm
-------------------------	--------

---

<b>Package 1 Width</b>	8.7 cm
------------------------	--------

---

<b>Package 1 Length</b>	8.7 cm
-------------------------	--------

---

<b>Package 1 Weight</b>	97 g
-------------------------	------

---

<b>Unit Type Of Package 2</b>	BB1
-------------------------------	-----

---

<b>Number Of Units In Package 2</b>	8
-------------------------------------	---

---

<b>Package 2 Height</b>	9.5 cm
-------------------------	--------

---

<b>Package 2 Width</b>	15 cm
------------------------	-------

---

<b>Package 2 Length</b>	19 cm
-------------------------	-------

---

<b>Package 2 Weight</b>	790 g
-------------------------	-------

---

<b>Unit Type Of Package 3</b>	CAR
-------------------------------	-----

---

<b>Number Of Units In Package 3</b>	80
-------------------------------------	----

---

<b>Package 3 Height</b>	21 cm
-------------------------	-------

---

<b>Package 3 Width</b>	31 cm
------------------------	-------

---

<b>Package 3 Length</b>	50 cm
-------------------------	-------

---

<b>Package 3 Weight</b>	8900 g
-------------------------	--------

## Contractual warranty

---

<b>Warranty</b>	18 months
-----------------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

## Certifications & Standards

**Reach Regulation**

[REACH Declaration](#)

**Eu Rohs Directive**

Compliant

[EU RoHS Declaration](#)

**China Rohs Regulation**

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

**Environmental Disclosure**

[Product Environmental Profile](#)

**Circularity Profile**

No need of specific recycling operations