

Product datasheet

Specifications



Twin Gang Blank Plate



KBT30

Main

Range	Vivace
Product Or Component Type	Blank plate
Accessory / Separate Part Categor	Fixing accessory
Device Short Name	KBT30
Device Application	Basic protection
Colour Tint	Wall: white

Complementary

Product Destination	Flush mounted box
Fixing Mode	By 2 screws
Range Compatibility	Vivace KBT cover frame
Number Of Gangs	2 gangs
Colour Tint	White
Surface Finish	Glossy
Material	Polycarbonate: surround Polycarbonate: grid plate
Surface Treatment	Untreated
Projecting Depth	8 mm
Device Mounting	Flush
Width	146 mm
Height	86 mm
Depth	8 mm
Ip Degree Of Protection	IP20

Environment

Standards	BS 5733
Ambient Air Temperature For Operation	-5...40 °C
Ambient Air Temperature For Storage	-5...60 °C
Relative Humidity	0...95 %
Operating Altitude	0...2000 m
Environmental Characteristic	Indoor use

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Weight	103 g

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations