

# Product datasheet

Specifications



## 2 Gang Telephone Outlet with Shutter

KB32TS

### Main

Range Of Product	Vivace
Range	Vivace
Device Short Name	KB32
Product Or Component Type	Telephone socket
Device Presentation	Complete product
Telephone Socket Type	RJ11 (8 contacts)
Colour Tint	Wall: white

### Complementary

Number Of Gangs	2 gangs
Colour Tint	White
Connector Type	M-110 keystone 8 RJ11 connector
Material	Polycarbonate: surround Polycarbonate: grid plate Polycarbonate: base
Projecting Depth	8 mm
Type Of Cable	2 pairs
Device Mounting	Flush
Fixing Mode	By 2 screws
Mounting Support	Wall mounted
Fixing Center	60.3 mm
Surface Treatment	Untreated
Embedding Depth	28 mm
Surface Finish	Untreated
Telephone Socket Type	RJ11 (8 contacts)
Connections - Terminals	Clamp terminal
Tightening Torque	0.4 N.m
Width	87 mm
Height	87 mm
Depth	35 mm
Ip Degree Of Protection	IP20
Main Colour Tint	White

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

## Environment

Standards	IEC 60670-1
Ambient Air Temperature For Operation	-5...40 °C
Ambient Air Temperature For Storage	-5...40 °C
Relative Humidity	0...95 %
Operating Altitude	0...2000 m
Environmental Characteristic	Indoor use
Ip Degree Of Protection	IP20

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.2 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	90.99 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	15 cm
Package 2 Width	19 cm
Package 2 Length	10 cm
Package 2 Weight	980 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	100
Package 3 Height	21 cm
Package 3 Width	31.5 cm
Package 3 Length	50 cm
Package 3 Weight	9349 g

## Contractual warranty

Warranty	18 months
----------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations