Product datasheet

Specifications





ZENcelo 13A 2Gang switched socket with on indicator White Plate + White Surround

E84T25-WW

() Discontinued on: 20 Jun 2023

① Discontinued

Main

Range	ZENcelo
Device Application	Power supply
Product Or Component Type	Power socket-outlet
Outlet Poles Configuration	2P + E
Load Type	Resistive
Colour Tint	White
Cover Frame Colour Tint	White
Cover Plate Colour Tint	White

Complementary

Device Mounting	Flush Surface
Clamping Connection Capacity	2 x 4 mm² 3 x 2.5 mm²
Rated Current	13 A at 250 V AC 50 Hz
Number Of Gangs	2 gangs
Material	Brass contact Polycarbonate base Polycarbonate grid plate Polycarbonate surround Phosphor bronze contact
Connections - Terminals	Folded terminal
Width	147 mm
Height	87 mm
Depth	8 mm

Environment

Ambient Air Temperature For Operation	-540 °C
Relative Humidity	095 %
Environmental Characteristic	UV resistant indoor use
Operating Altitude	2000 m
Standards	BS 1363-2 MS 589 SS 145

Excluding VAT, FCA Jabal Ali & are subject to change - check with your local distributor.

Stand	ards

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.7 cm
Package 1 Width	14.7 cm
Package 1 Length	0.8 cm
Package 1 Weight	140.09 g

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	End of Life Information