Product datasheet

Specifications

Green Premium™

ZENcelo 13A 1Gang Double pole switched socket

E8415-SZ

(!) **Discontinued on:** 22 Apr 2024

(!) **Discontinued**

Main

Range	ZENcelo
Device Application	Power supply
Product Or Component Type	Power socket-outlet
Load Type	Resistive
Colour Tint	Silver bronze

Complementary

Device Mounting	Surface Flush
Switch Function	1-pole
Clamping Connection Capacity	2 x 4 mm² 3 x 2.5 mm²
Rated Current	13 A at 250 V AC 50 Hz
Number Of Gangs	1 gang
Material	Brass contact Phosphor contact Polycarbonate base Polycarbonate grid plate Polycarbonate surround
Connections - Terminals	Folded terminal
Width	87 mm
Height	87 mm
Depth	8 mm

Environment

Ambient Air Temperature For Operation	-5…40 °C
Relative Humidity	0…95 %
Environmental Characteristic	UV resistant indoor use
Operating Altitude	2000 m
Standards	BS 1363-2 MS 589 SS 145
Standards	BS 1363-2 SS 145 MS 589

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Life Is On | Schneider Electric

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.7 cm
Package 1 Width	8.7 cm
Package 1 Length	0.8 cm
Package 1 Weight	0.001 g

Sustainability ![Green Premium]

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant

                                        EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                        Pro-active China RoHS declaration (out of China RoHS legal scope)

Circularity Profile   End of Life Information