


Product datasheet

Specifications



SpaceLogic Modbus 2G bedside panel with 9 button and socket (D-life BS)

SLGM09BS2G_D

EAN Code: 3606486528150

Main

Product name	Glass Touch Panels
product type	Glass touch bedside panel
Colour tint	Front cover: champagne gold Front cover: silver Front cover: white Front cover: black

Complementary

Control button type	configurable touch button
[Us] rated supply voltage	24 V DC
Current consumption	<= 30 mA
Sensor type	capacitive proximity sensor sensor
Communication port protocol	Modbus RTU with RS485 port(s), medium: twisted shielded pairs cable
Mounting mode	Snap-in
Height	170 mm
Width	95 mm
Depth	25.8 mm
Relative humidity	10...90 %

Environment

Ambient air temperature for storage	-40...70 °C
Ambient air temperature for operation	0...45 °C
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.58 cm
Package 1 Width	9.5 cm
Package 1 Length	17 cm
Package 1 Weight	296 g
Unit Type of Package 2	S03
Number of Units in Package 2	12

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	5.482 kg
Unit Type of Package 3	P12
Number of Units in Package 3	576
Package 3 Height	10 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	99.398 kg

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Total lifecycle Carbon footprint	68
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions

Use Again

 Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins